


# Mfg. Of Garment Finishing & Fashioning Equipment



*Rajshree Enterprises*

## About Rajshree Enterprises



Rajshree Enterprises are leading Manufacturers & Exporters of Garment Finishing & Fashioning Equipments was established in 1994 with a vision to cater to the modern machinery requirements for Garment Finishing Equipments at national and international level. We are committed to increase the production & of garment finishing operations by offering a range of quality products conforming to the desired quality standards of the garment industry from time to time. Presently, it is an independent 100% in-house manufacturing company, which has achieved pioneer status in terms of technology, and manufacturing capabilities. We provide round-the-clock sales and service. We believe in improving our productivity at reduced running cost, low maintenance and modularity, helping to achieve flexibility through custom engineering. The Spares of garment finishing equipments available at reasonable prices backed by reliable service through our all India network.

### **COMPETITIVE EDGE.....**

We have an advanced state-of-art manufacturing unit, where our tools and equipments are manufactured. Our products display outstanding technology, excellence and consistency. We present premium quality products to our reputed customers.

### **SPECIALIZATION.....**

Client's contentment is our prime focus. We offer world's complete collection of fusing presses and heat transfer presses. Catering to our client's varied requirements, we provide our clients superior quality products.

## ➡ VACCU M TABLE



- A Table ensure superior suction and noiseless for working atmosphere.
- It is detachable, with in a minutes of time of time for removal & replacement of spares, easily transported and installed.

Models	No.of Motors	Power	Dimension Inches	Weight kgs.
RSVT - 425	1	3ph - 0.75 HP	51x30x36	80
RSVT - 430	1	3ph - 0.75 HP	51x30x36	84
RSVT - 54S	1	3ph - 0.75 HP	66x48x36	120
RSVT - 54D	2	3ph - 1.50 HP	66x48x36	125

## ➡ PORTABLE BOILERS

- More Attractive, Low weight, Dry Steam.
- Stainless Steel Vessel 304 grade with PUF insulated.
- Electronically controlled safety System.



Models	Capacity	Use of Irons		Total Power Heater   Irons	Pressure	Running	Dimension Inches	Weight Kgs. (App.)
		Electrical	Non-Electrical					
R-S 08	8.0 Ltr.	1	-	1 Ph. 1.5k.w 0.8 W	3-4 Kg	4 Hours	11x13x16	10 Kg.
R-S 12	12.0 Ltr.	2	1	2 Ph. 2.0k.w 1.6 W	3-4 kg	4 Hours	10x18x20	12 Kg.

## ▶ STEAM IRON



Model	R420	Shiliter	All Steam	2128	All Steam
Weight	1.5 Kg.	1.2 Kg.	1.26 Kg.	1 Kg.	1.26 Kg.
Power	900 Watts	900 Watts	-	750 Watts	-

## ▶ AUTO ELECTRICAL BOILER

- Fully Automatic with safety mechanism & alarm system provided for any break down in operation
- A Indigenous product with imported Spares, assured spares & Service availability.



Models	Heater	Electrical Iron Power in k.w.	Non- Elect Iron	Dimension Inches	Weight Kgs.
RSB 06-09	6/9 KW	4-6 1.6-2.4	2	16x16x30	85
RSB 12-18	12/18 KW	6-10 3.2-4.8	5	16x16x30	85
RSB 18-27	18/27 KW	10-12 4.8-8.0	7	20x30x36	90



## ➡ GAS/DIESEL STEAM GENERATOR



- Fully Automatic with safety mechanism & alarm system provided for any break down in operation.
- Low Fuel Consumption and Maximum utilization heat radiation for better Efficiency
- Easy to replace of any spares and Easy maintenance & Service.

Models	Steam Pressure	Pump	Fual Pumps	Total Connected Load	Dimension Inches	Dry Weight Kgs.
RSDB 50	5 Kg	1 HP	5 kg	1.5 HP	36x70x54	200
RSDB 50	5 Kg	1 HP	5 kg	1.5 HP	24x72x18	250

## ➡ WRINKLE FREE MACHINES

- Fully Automatic Trouser Legger and Topper pressing machines.
- Temperature up to 200 oc for wrinkle resistant Trousers.
- Fully Automatic steam and vacuum during operation.



Models	Press Area	Motor	Power	Heater	Temperature
RLS	51 x 18	1 HP	220/440	2 K.W.	0 - 400
RLT	Size Stranded	1 HP	220/440	4 K.W.	0 - 350

## ➡ GAS BOILER



- A Table ensure superior suction and noiseless for working atmosphere.
- It is detachable, with in a minutes of time of time for removal & replacement of spares, easily transported and installed.

Models	Steam Pressure	Pump	Total Connected Load	Dimension Inches	Dry Weight Kgs.
RSGB 20	5 Kg	1 HP	1.5 HP	16x20x30	60
RSGB 30	5 Kg	1 HP	1.5 HP	24x72x18	180

## ➡ BUCK PRESSING MACHINE

- For Ironing Ladies wear.
- Perfect uniform suction washable from heat proof cloth
- Powder coated M.S. Body.
- Superior design for easy Installable
- Pedal operated heavy section with adjustable height.



Models	Power	Table Size (Feet)	Weight Kgs.
RSB1	1 hp	3.5 x 1.75	50 kg
RSB2	1 hp	3.5 x 1.75	70 kg

## ➡ THREAD SUCKING MACHINE




- This inimitable unique thread Sucking machines absorb all the loose and loosely attached threads stuck on the garment after stitching.
- Pedal operated (Automatic Optional) wooden body with 5 H.P. 3 Phase motor.

Widow Size MM	Open Size MM	Motor HP	Air Exhaust MM	Overall Dimension MM	Net Weight Kgs.
520 x 1000	170	5	340 x 360	650x1425x1270	80 kg

## ➡ MANUAL FUSHING MACHINE

- Fully Automatic most versatile heat transfer press.
- Ideal machines for plastisol fusing, curing & transfer printing.
- Easy operation through pneumatic system.



Models	Pleten Size	Heater	Temperature	Power	Machine Dimensions	Weight Kgs.
SDR 50	20" x 15"	2.6kw/hr.	220C Max	220VAC	L 30" W 26" H 31"	130
SGR 50	22" x 17"	3.6kw/hr.	220C Max	220VAC	L 30" W 26" H 31"	140

## ⇒ STAIN REMOVING SYSTEM



- 2 in one soft touch guns for steam & air.
- Choice of different spotting guns for various solvents to take care of different & difficult stains simultaneously.
- Stainless steel suction table & Movable side small arm for small Tubular garments.

Models	Press Area	Motor	Power	Heater	Temperature
RLS	51 x 18	1 HP	220/440	2 K.W.	0 - 400
RLT	Size Standard	1 HP	220/440	4 K.W.	0 - 350

## ⇒ AUTO FUSHING MACHINE


- Fusing machine with leading edge technology for all fusing requirements like shirts, trousers, caps and leather products.
- One side open design gives better adaptability for fusing large and wider fabric parts.
- Super soft belt tracking switches maintains nelt edges with least



Belt width	Heater	Temperatures	Speed	Power	Pressure	Machine Dimensions	Weight
450mm	3.6kw/hr.	0-200C Ma	0-8mtrs/mt	220VAC	0-3kg/cm2	(L) 80" (W) 40" (H) 55"	185 kgs



## ➡ FLAT PRESS MACHINE



- Fully Automatic Trouser Legger and Topper pressing machines.
- Temperature up to 200 oc for wrinkle resistant Trousers
- Fully Automatic steam and vacuum during operation

## ➡ UPSTEAM TABLE

- Upsteam table larg stainless steal bed with programmable controls
- All part contacted by steam are made of stainless steel automatic programmable control of independent steam / Vaccum to ensure a quality finishing
- With top pressure heat proof cloth on frame for easy front pressing



Model	Table Size INCH	Power	Steam Connection MM	Consumption KG/HR	Overall Dimensions (LXBXH) INCH	Weight
RSF1	72 x 36	1 HP	0.5"	30	78 x 40 x 37	300 Kg.

## ⇒ WRINKLE FREE MACHINE



- Fully Automatic Trouser Legger and Topper pressing machines.
- Temperature up to 200 oc for wrinkle resistant Trousers
- Fully Automatic steam and vacuum during operation

Models	Pleten Size	Heater	Temperature	Power	Machine Dimensions	Weight Kgs.
SDR 50	20" x 15"	2.6kw/hr.	220C Max	220VAC	L 30" W 26" H 31"	130
SDR 50	22" x 17"	3.6kw/hr.	220C Max	220VAC	L 30" W 26" H 31"	140

## ⇒ FABRIC CURRING MACHINE

- Curing machine with leading edge technology for Curing.
- River Sailor and Maxcure comes to you with latest belt tracking mechanism for least swaying of the belt.
- Very high insulation offers excellent heat retention.
- Adjustable heating panel to feed very thick garments and jackets.



Models	Size	Heater	Temperature	Power	Machine Dimensions	Net. Weight Kgs.
RLS	24 Inches	8kw/hr	220C Max	440VAC	L 186" W 50" H 50"	700kgs
RLT	36 Inches	9/12kw/hr	220C Max	440VAC	L 186" W 50" H 50"	950kgs



**Contact Us**

Patni Sheri, Next to Prakash Sewing Machine,  
B/h. Prakash Cinema, Gheekanta Road, Ahmedabad.

Telephone No.: 079 - 3252 5669,

Mr. S.K. Iyer (M) 096012 72309 /

093751 19953 / 092282 00822

E-mail: [info@rajshreeenterprises.in](mailto:info@rajshreeenterprises.in),

Website : [www.rajshreeenterprises.in](http://www.rajshreeenterprises.in)